WESTERN BIRDS, INDEX, VOLUME 17, 1986

Compiled by Mildred Comar

Accipiter cooperii, 5, 119, 184
gentilis, 5, 184
striatus, 5, 119, 184
Actitis macularia, 6, 118,120, 184
Aechmophorus clarkii, 2, 3, 175, 183
occidentalis, 3, 183
Aegolius acadicus, 8, 185
funereus, 2
Aeronautes saxatalis, 9, 121, 185
Aethia cristatella, 8, 50
pusilla, 2, 8, 50
Agelaius phoeniceus, 14, 126, 187
tricolor, 14
Aix sponsa, 4, 176, 184
Ajaia ajaja, 14
Alauda arvensis, 10, 50
Albatross, Black-footed, 3
Laysan, 3, 54
Short-tailed, 3, 50, 51, 54, 71
Wandering, 3, 50
Alectoris chukar, 5, 184
Aimophila cassinii, 13, 51, 70, 181, 186
ruficeps, 13, 186
Amazilia violiceps, 9, 50
Ammodramus bairdii, 13, 70, 181, 186
caudacutus, 13, 51, 71
leconteii, 13, 51, 59, 71
savannarum, 13, 182, 186
Amphispiza belli, 13, 186
bilineata, 13, 186
Anas acuta, 4, 117, 119, 184
americana, 5, 184
clypeata, 4, 184
crecca, 4, 117, 119, 184
cyanoptera, 4, 119, 184
discors, 4, 184
formosa, 4, 50
penelope, 4, 176, 184
platyrhynchos, 4, 118, 119, 184
querquedula, 4, 50, 58
rubripes, 4
strepera, 4, 184
Anhinga, 2, 4, 50, 57, 72
Anhinga anhinga, 2, 4, 50, 57, 72
Ani, Groove-billed, 8, 50, 177, 184
Anser, albifrons, 4, 175, 184
Anthus cervinus, 11, 51, 66
spinoletta, 11, 123, 175, 179, 186
spragueii, 11, 51, 66, 179, 186
Aphelocoma coerulescens, 10, 185
Aphriza virgata, 7
Aquila chrysaetos, 5, 87-89, 117, 120, 134, 184
Archilochus alexandri, 9, 121, 185
colubris, 2, 9, 41-42, 50, 62, 74
Ardea herodias, 4, 118, 119, 136, 183
Arenaria interpres, 7, 176, 184
melanocephala, 7
Asio flammeus, 8, 185
otus, 8, 185
Athene cunicularia, 8, 22, 185
Auklet, Cassin's, 8
Crested, 8, 50
Least, 2, 8, 50
Parakeet, 8, 50, 52, 62
Rhinoceros, 8
Auriparus flaviceps, 10
Avocet, American, 6, 173, 176, 184
Aythya affinis, 5, 184
americana, 5, 184
collaris, 5, 184
fuligula, 5, 50, 58
marila, 5
valisineria, 5, 184

Baltosser, William H., Seasonal analysis of a southwestern New Mexico riparian bird community, 115-131
Barn-Owl, Common, 8, 184
Barrows, Cameron W., Habitat relationships of Winter Wrens in northern California, 17-20
Bartramia longicauda, 6, 50
Bidstrup, Frances C., see Page, G.
Binford, Laurence C., Checklist of California birds—1986, 1-16
Bittern, American, 4, 183
Least, 4
Black-Hawk, Common, 2, 5, 50, 58, 119
Blackbird, Brewer's, 14, 126, 187
Red-winged, 14, 126, 187
Rusty, 14, 182, 187
Tricolored, 14
Yellow-headed, 14, 187
Bluebird, Mountain, 11, 174, 185
Western, 11, 118, 123, 185
Bobolink, 14, 173, 174, 182, 187
Bombycilla cedrorum, 11, 186
garrulus, 11, 179, 186
Bonasa umbellus, 6
Booby, Blue-footed, 3
Brown, 3, 50, 56

Masked, 3, 50
Red-footed, 3, 50
Botarus lentiginosus, 4, 183
Brachyramphus brevirostris, 2, 8, 50
marmoratus, 8
Brambling, 2, 14, 50, 51, 71
Brant, 4
Branta bernicla, 4
canadensis, 4, 184
leucopsis, 2
Bubo virginianus, 8, 88, 107, 114, 121, 134, 184
Bubulcus ibis, 4, 175, 183
Bucephala albeola, 5, 184
clangula, 5, 184
islandica, 5, 184
Bufflehead, 5, 184
Bunting, Indigo, 13, 186
Lark, 13, 186
Lazuli, 13, 125, 186
Painted, 13, 51, 70, 75, 181, 186
Rustic, 2, 14, 50, 51, 71
Snow, 14, 51, 71
Varied, 13, 51
Burton, Kenneth, see Tyler, W.
Bushtit, 10, 117, 123, 185
Buteo albonotatus, 5, 50, 59
jamaicensis, 5, 88, 107-114, 117, 120, 184
lagopus, 5, 107-114, 184
lineatus, 5
nitidus, 72
platypterus, 5
regalis, 5, 184
swainsoni, 5, 184
Buteogallus anthracinus, 2, 5, 50, 58, 119
Butorides striatus, 4, 183

Calamospiza melanocorys, 13, 186
Calcarius lapponicus, 14, 182, 187
mccownii, 14, 182, 186
ornatus, 14, 187
pictus, 182, 187
Calidris alba, 7, 176, 184
acuminata, 7
alpina, 7, 177, 184
bairdii, 7, 184
canutus, 7, 176, 184
ferruginea, 7, 50
fuscicollis, 7, 50
himantopus, 7, 184
mauri, 7, 184
melanotos, 7, 184
minuta, 2, 7, 50, 61
minutilla, 7, 120, 184
ptilocnemis, 7
pusilla, 7, 176, 184
ruficollis, 7, 50, 73
temminckii, 73
Callipepla californica, 6, 184
gambelii, 6, 120
squamata, 184
Calonectris leucomelas, 3, 46, 50
Calypte anna, 9
costae, 9
Campylorhynchus brunneicapillus, 11
Canvasback, 5, 184
Caprimulgus vociferus, 9, 175, 185
Cardellina rubrifrons, 13, 51, 70, 175, 186
Cardinal, Northern, 13, 51, 125
Cardinalis cardinalis, 13, 51, 125
sinuatus, 13, 51
Carduelis flammea, 14, 51, 71
lawrencei, 14
pinus, 14, 126, 187
psaltria, 14, 126, 187
tristis, 14, 126, 175, 187
Carpodacus cassinii, 14, 187
mexicanus, 14, 126, 187
purpureus, 14, 182, 187
Casmerodius albus, 4, 175, 183
Catbird, Gray, 11, 50, 64, 175, 179, 185
Catharacta maccormicki, 7
Cathartes aura, 5, 88, 118, 119, 184
Catharus fuscescens, 11, 50, 172, 175, 178, 185
guttatus, 11, 118, 123, 185
minimus, 11, 50
ustulatus, 11, 123, 175, 185
Catherpes mexicanus, 11, 185
Catoptrophorus semipalmatus, 6
Centrocercus urophasianus, 6
Cepphus columba, 8
Cerorhinca monocerata, 8
Certhia americana, 10, 98, 117, 123, 185
Ceryle alcyon, 9, 121, 185
Chaetura pelagica, 9
vauxi, 9, 177, 185
Chamaea fasciata, 11
Charadrius alexandrinus, 6, 145-170, 184
hiaticula, 2
melodus, 6, 50
mongolus, 6, 50, 60
montanus, 6, 174, 176, 184
morinellus, 6, 50, 95
semipalmatus, 6, 184

vociferus, 6, 120, 184
wilsonia, 6, 50
Chat, Yellow-breasted, 13, 125, 186
Chen caerulescens, 4, 93, 94, 184
canagica, 4, 50, 51, 58
rossii, 4, 93, 94, 184
Chickadee, Black-capped, 10, 178, 185
Chestnut-backed, 10, 98
Mountain, 10, 185
Chlidonias niger, 8, 184
Chondestes grammacus, 13, 186
Chordeiles acutipennis, 9
minor, 9, 185
Chukar, 5, 184
Cinclus mexicanus, 11, 185
Circus cyaneus, 5, 117, 119, 184
Cistothorus palustris, 11, 123, 185
platensis, 11, 50
Clangula hyemalis, 5
Coccothraustes vespertinus, 14, 187
Coccyzus americanus, 8, 91, 121, 184
erythropthalmus, 8, 50, 62, 177, 184
Cohen, Robert R., Female Tree Swallow nests successfully following loss of eye, 40
Colaptes auratus, 9, 121, 185
Cole, Ronald E., First record of a Ruby-throated Hummingbird in California, 41-42
Colibri thalassinus, 73
Collins, Charles T., Identification quiz, 93-94
Collins, Paul W., Charles Drost, and Gary M. Fellers, Migratory status of Flammulated Owls with recent records from the California Channel Islands, 21-31
Columba fasciata, 8, 177, 184
livia, 8, 184
Columbina inca, 8, 177, 184
passerina, 8
talpacoti, 15
Condor, California, 5
Contopus borealis, 9, 185
pertinax, 9, 50, 62, 175, 185
sordidulus, 9, 121, 185
virens, 9, 50, 74, 185
Coot, American, 6, 184
Coragyps atratus, 2, 74
Cormorant, Brandt's, 4
Double-crested, 4, 136, 183, 189
Olivaceous, 4, 50, 56
Pelagic, 4
Cornett, James W., Gila Woodpecker nesting in northern Baja California, 139-140
Corvus brachyrhynchos, 10, 118, 122, 185
corax, 10, 88, 118, 123, 185
cryptoleucus, 118, 122
Coturnicops noveboracensis, 6, 50, 60, 72
Cowbird, Bronzed, 14
Brown-headed, 14, 126, 187
Crane, Sandhill, 6, 120, 176, 184, 192-193
Creagrus furcatus, 2
Creeper, Brown, 10, 98, 117, 123, 185
Crossbill, Red, 14, 187
White-winged, 14, 51
Crotophaga sulcirostris, 8, 50, 177, 184
Crow, American, 10, 118, 122, 185
Cuckoo, Black-billed, 8, 50, 62, 117, 184
Yellow-billed, 8, 91, 121, 184
Curlew, Little, 2, 6, 50, 60
Long-billed, 6, 184
Cyanocitta cristata, 10, 50, 178, 185
stelleri, 10, 39, 98, 185
Cyclorrhynchus psittacula, 8, 50, 52, 62
Cygnus buccinator, 4, 50, 72
columbianus, 4, 184
cygnus, 4, 50, 57
Cynanthus latirostris, 9, 50, 62
Cypseloides niger, 9
Cyrtonyx montezumae, 175, 184

Daption capense, 2
Dendragapus obscurus, 6, 174, 184
Dendrocygna autumnalis, 4, 50
bicolor, 4
Dendroica caerulescens, 12, 180, 186
castanea, 12, 180, 186
cerulea, 12, 51
chrysoparia, 12, 51, 66
coronata, 12, 117, 124, 126
discolor, 12
dominica, 12, 51, 66, 172, 180, 186
fusca, 12, 180, 186
graciae, 12, 51, 67, 186
magnolia, 12, 180, 186
nigrescens, 12, 124, 186
occidentalis, 12, 186
palmarum, 12, 180, 186
pennsylvanica, 12, 180, 186
petechia, 12, 124, 129, 186
pinus, 12, 51, 67
striata, 12, 180, 186
tigrina, 12
townsendi, 12, 124, 186
virens, 12, 180, 186
Dickcissel, 13, 181, 186

Diomedea albatrus, 3, 50, 51, 54, 71
exulans, 3, 50
immutabilis, 3, 54
nigripes, 3
Dipper, American, 11, 185
Dolichonyx oryzivorus, 14, 173, 174, 182, 187
Dotterel, Eurasian, 6, 50, 95
Dove, Inca, 8, 177, 184
Mourning, 8, 88, 121, 129, 184
Rock, 8, 184
Spotted, 8
White-winged, 8, 121
Dowitcher, Long-billed, 7, 184
Short-billed, 7, 184
Drost, Charles, see Collins, P.
Dryocopus pileatus, 9
Duck, American Black, 4
Harlequin, 5
Ring-necked, 5, 184
Ruddy, 5, 184
Tufted, 5, 50, 58
Wood, 4, 176, 184
Dumetella carolinensis, 11, 50, 64, 175, 179, 185
Dunlin, 7, 177, 184

Eagle Bald, 5, 85-86, 87, 119, 184
Golden, 5, 87-89, 117, 120, 134, 184
Eakle, Wade L., and Teryl G. Grubb, Prey remains from Golden Eagle nests in central Arizona, 87-89
Egret, Cattle, 4, 175, 183
Great, 4, 175, 183
Reddish, 4, 50, 57
Snowy, 4, 183, 189
Egretta caerulea, 4
rufescens, 4, 50, 57
thula, 4, 183, 189
tricolor, 4, 183, 189
Eider, King, 5, 50
Steller's, 2, 5, 50
Elanus caeruleus, 5
Emberiza rustica, 2, 14, 50, 51, 71
Empidonax alnorum, 2, 15
difficilis, 10, 122, 185
flaviventris, 9, 50,74
hammondii, 9, 172, 174, 178, 185
minimus, 9, 178, 185
oberholseri, 9, 185
traillii, 9, 185
virescens, 2
wrightii, 9, 118, 121, 185
Engilis, Andrew, Jr., see Cole R.
Eremophila alpestris, 10
Eudocimus albus, 4
Eugenes fulgens, 2, 178, 185
Euphagus carolinus, 14, 182, 187
cyanocephalus, 14, 126, 187

Falco columbarius, 5, 184
mexicanus, 5, 107-114, 117, 120, 184
peregrinus, 5, 184
rusticolus, 5, 50, 60
sparverius, 5, 32, 120, 184
Falcon, Peregrine, 5, 184
Prairie, 5, 107-114, 117, 120, 184
Fellers, Gary M., see Collins, P.
Finch, Cassin's, 14, 187
House, 14, 126, 187
Purple, 14, 182, 187
Rosy, 14
Findholt, Scott, L., New American White Pelican nesting colony in Wyoming, 136-138; Ring-billed Gull: a rediscovered nesting species in Wyoming, 189-190
Flicker, Northern, 9, 121, 185
Flycatcher, Acadian, 2
Alder, 2, 15
Ash-throated, 10, 122, 185
Brown-crested, 10
Dusky, 9, 185
Dusky-capped, 10, 50, 62, 74
Gray, 9, 118, 121, 185
Great Crested, 10, 50, 63
Hammond's, 9, 172, 174, 178, 185
Least, 9, 178, 185
Olive-sided, 9, 185
Scissor-tailed, 10, 50, 63, 74, 178, 185
Sulphur-bellied, 10, 50, 63
Western, 10, 122, 185
Willow, 9, 185
Vermillion, 10, 122, 178, 185
Yellow-bellied, 9, 50, 74
Fratercula cirrhata, 8
corniculata, 8
Fregata magnificens, 4
Frigatebird, Magnificent, 4
Fringilla montifringilla, 2, 14, 50, 51, 71
Fulica americana, 6, 184
Fulmar, Northern, 3
Fulmarus glacialis, 3

Gadwall, 4, 184
Gallinago gallinago, 7, 120, 173, 174, 177, 184
Gallinula chloropus, 6, 176, 184

Gallinule, Purple, 6, 50
Garganey, 4, 50, 58
Garrison, Barrett A., Observation of copulation between a non-nesting adult and subadult Bald Eagle in California, 85-86
Gatz, Thomas A., and Paul L. Hegdal, Local winter movements of four raptor species in central Colorado, 107-114
Gavia adamsii, 3, 50, 54, 55
arctica, 2
immer, 3, 183
pacifica, 2, 3, 175, 183
stellata, 3
Geococcyx californianus, 8, 184
Geothlypis trichas, 13, 124, 186
Glaucidium gnoma, 8, 98, 185
Gnatcatcher, Black-tailed, 11
Blue-gray, 11, 185
Godwit, Bar-tailed, 6, 50
Hudsonian, 6, 50
Marbled, 7, 184
Golden-Plover, Lesser, 6, 176
Goldeneye, Barrow's, 5
Common, 5, 184
Goldfinch, American, 14, 126, 175, 187
Lawrence's, 14
Lesser, 14, 126, 187
Goose, Barnacle, 2
Canada, 4, 184
Emperor, 4, 50, 51, 58
Greater White-fronted, 4, 175, 184
Ross', 4, 93, 94, 184
Snow, 4, 93, 94, 184
Goshawk, Northern, 5, 184
Grackle, Common, 14, 51, 71
Great-tailed, 14, 126, 187
Grebe, Clark's, 2, 3, 175, 183
Eared, 3, 183
Horned, 3, 175, 183
Least, 3, 50
Pied-billed, 3, 183
Red-necked, 3
Western, 3, 183
Grosbeak, Black-headed, 13, 125, 186
Blue, 13, 125, 186
Evening, 14, 187
Pine, 14, 175, 187
Rose-breasted, 13, 186
Ground-Dove, Common, 8
Ruddy, 2, 15
Grouse, Blue, 6, 174, 184
Ruffed, 6
Sage, 6
Sharp-tailed, 6, 50
Grubb, Teryl G., see Eakle, W.
Grus canadensis 6, 120, 176, 184, 192-193
Guillemot, Pigeon, 8
Guiraca caerulea, 13, 125, 186
Gull, Black-tailed, 2, 74
Bonaparte's, 7, 65
California, 7, 133, 134, 136, 184, 189
Common Black-headed, 7, 16, 50, 61, 65, 73
Franklin's, 7, 184
Glaucous, 7
Glaucous-winged, 7
Heermann's, 7
Herring, 7
Iceland, 2, 15
Laughing, 7
Lesser Black-backed, 7, 50
Little, 7, 50, 61
Mew, 7, 141-142
Ring-billed, 7, 117, 120, 141, 184, 189-190
Sabine's, 7, 177, 184
Swallow-tailed, 2
Thayer's, 7
Western, 7
Yellow-footed, 7
Gymnogyps californianus, 5
Gymnorhinus cyanocephalus, 10, 185
Gyrfalcon, 5, 50, 60

Haematopus bachmani, 6
palliatus, 6, 50, 60, 73
Haemig, Paul D., Nesting of the Phainopepla on Santa Cruz Island, California, 48
Haliaeetus leucocephalus, 5, 85-86, 87, 119, 184
Harrier, Northern, 5, 117, 119, 184
Hawk, Broad-winged, 5
Cooper's, 5, 119, 184
Ferruginous, 5, 184
Gray, 72
Harris', 5, 50, 52, 59
Red-shouldered, 5
Red-tailed, 5, 88, 107-114, 117, 120, 184
Rough-legged, 5, 107-114, 184
Sharp-shinned, 5, 119, 184
Swainson's, 5, 184
Zone-tailed, 5, 50, 59
Hegdal, Paul L., see Gatz, T.
Helmitheros vermivorus, 12, 51, 68, 172, 181, 186

Heron, Great Blue, 4, 118, 119, 136, 183
Green-backed, 4, 183
Little Blue, 4
Tricolored, 4
Heteroscelus brevipes, 2, 6, 33-36, 50
incanus, 6, 33-36
Himantopus mexicanus 6, 176, 184
Hirundo pyrrhonota, 10, 118, 122, 129, 185
rustica, 10, 185
Histrionicus histrionicus, 5
Hummingbird, Allen's, 9
Anna's, 9
Black-chinned, 9, 121, 185
Blue-throated, 9, 50
Broad-billed, 9, 50, 62
Broad-tailed, 9, 41, 118, 121, 185
Calliope, 9, 41, 185
Costa's, 9
Magnificent, 2, 178, 185
Ruby-throated, 2, 9, 41-42, 50, 62, 74
Rufous, 9, 185
Violet-crowned, 9, 50
Hylocichla mustelina, 11, 50, 64, 179, 185

Ibis, White, 4
White-faced, 4, 50, 183
Icteria virens, 13, 125, 186
Icterus cucullatus, 14, 187
galbula, 14, 126, 187
parisorum, 14, 187
pustulalus, 14, 51
spurius, 14, 187
Ictinia mississippiensis, 5, 50, 58, 72
Ixobrychus exilis, 4
Ixoreus naevius, 11

Jaeger, Long-tailed, 7
Parasitic, 7
Pomarine, 7, 177, 184
Jay, Blue, 10, 50, 178, 185
Gray, 10, 174, 185
Pinyon, 10, 185
Scrub, 10, 185
Steller's, 10, 39, 98, 185
Jehl, Joseph R., Jr., Caspian Tern at Mono Lake, The, 133-135
Junco, Dark-eyed, 13, 117, 126, 186
Junco hyemalis, 13, 117, 126, 186

Kestrel, American, 5, 32, 120, 184
Killdeer, 6, 120, 184
Kingbird, Cassin's, 10, 122, 185
Eastern, 10, 178, 185
Thick-billed, 10, 50
Tropical, 10
Western, 10, 122, 185
Kingfisher, Belted, 9, 121, 185
Kinglet, Golden-crowned, 11, 185
Ruby-crowned, 11, 117, 123, 185
Kite, Black-shouldered, 5
Mississippi, 5, 50, 58, 72
Kittiwake, Black-legged, 7
Knot, Red, 7, 176, 184

Lagopus leucurus, 2
Lampornis clemenciae, 9, 50
Lanius cristatus, 2, 12
excubitor, 12, 186
ludovicianus, 12, 118, 123, 186
Lark, Horned, 10
Larus argentatus, 7
atricilla, 7
californicus, 7, 133, 134, 136, 184, 189
canus, 7, 141-142
crassirostris, 2, 74
delawarensis, 7, 117, 120, 141, 184, 189-190
fuscus, 7, 50
glaucescens, 7
glaucoides, 2, 15
heermanni, 7
hyperboreus, 7
livens, 7
minutus, 7, 50, 61
occidentalis, 7
philadlephia, 7, 65
pipixcan, 7, 184
ridibundus, 7, 16, 50, 61, 65, 73
thayeri, 7
Laterallus jamaicensis, 6
Leucosticte arctoa, 14
Limnodromus griseus, 7, 184
scolopaceus, 7, 184
Limnothlypis swainsonii, 172, 181, 186
Limosa fedoa, 7, 184
haemastica, 6, 50
lapponica, 6, 50
Longspur, Chestnut-collared, 14, 187
Lapland, 14, 182, 187
McCown's, 14, 182, 186
Smith's, 182, 187
Loon, Arctic, 2
Common, 3, 183
Pacific, 2, 3, 175, 183
Red-throated, 3

Yellow-billed, 3, 50, 54, 55
Lophodytes cucullatus, 5, 176, 184
Loxia curvirostra, 14, 187
leucoptera, 14, 51
Lymnocryptes minimus, 7, 50, 61

Magpie, Black-billed, 10, 174, 178, 185
Yellow-billed, 10
Mallard, 4, 118, 119, 184
Martin, Purple, 10, 185
Meadowlark, Eastern, 187
Western, 14, 118, 126, 187
Melanerpes erythrocephalus, 9, 50
formicivorus, 9, 121, 185
lewis, 9, 174, 185
uropygialis, 9, 121, 139-140, 178, 185
Melanitta fusca, 5, 176, 184
nigra, 5
perspicillata, 5, 176, 184
Meleagris gallopavo, 6, 184
Melospiza georgiana, 13, 125, 186
lincolnii, 13, 117, 125, 186
melodia, 13, 117, 125, 186
Merganser, Common, 5, 118, 119, 184
Hooded, 5, 176, 184
Red-breasted, 5, 176, 184
Mergellus albellus, 2, 5, 50, 58
Mergus merganser, 5, 118, 119, 184
serrator, 5, 176, 184
Merlin, 5, 184
Micrathene whitneyi, 8
Mimus polyglottos, 11, 185
Mniotilta varia, 12, 186
Mockingbird, Northern, 11, 185
Molothrus aeneus, 14
ater, 14, 126, 187
Moorhen, Common, 6, 176, 184
Motacilla alba, 1, 2, 11, 50, 51, 52, 64, 67
flava, 2, 11, 51
lugens, 1, 2, 11, 51, 52, 64
Murre, Common, 8
Thick-billed, 8, 50, 73
Murrelet, Ancient, 8
Craveri's, 8
Kittlitz's, 2, 8, 50
Marbled, 8
Xantus', 8
Myadestes townsendi, 11, 175, 185
Mycteria americana, 4, 175, 183
Myiarchus cinerascens, 10, 122, 185
crinitus, 10, 50, 63
tuberculifer, 10, 50, 62, 74
tyrannulus, 10
Myiobourus pictus, 13, 118, 125, 175, 186

Myiodynastes luteiventris, 10, 50, 63

Night-Heron, Black-crowned, 4, 183, 189
Yellow-crowned, 4, 50, 57, 72
Nighthawk, Common, 9, 185
Lesser, 9
Norris, Larry L., Nesting of Plumbeous Solitary Vireo in the southern Sierra Nevada, 37-39
Nucifraga columbiana, 10, 185
Numenius americanus, 6, 184
minutus, 2, 6, 50, 60
phaeopus, 6
Nutcracker, Clark's, 10, 185
Nuthatch, Pygmy, 10, 185
Red-breasted, 10, 185
White-breasted, 10, 123, 125
Nyctea scandiaca, 8, 50, 52, 62
Nycticorax nycticorax, 4, 183, 189
violaceus, 4, 50, 57, 72

Oceanites oceanicus, 3, 50, 56
Oceanodroma castro, 3, 50
furcata, 3
homochroa, 3
leucorhoa, 3
melania, 3
microsoma, 3
tethys, 3, 50, 56, 72
Oenanthe oenanthe, 11, 50
Oldsquaw, 5
Oporornis agilis, 12, 51, 68
formosus, 12, 51, 68, 172, 181, 186
philadelphia, 13, 51, 70, 181, 186
tolmiei, 13, 175, 186
Oreortyx pictus, 6
Oreoscoptes montanus, 11, 175, 185
Oriole, Hooded, 14, 187
Northern, 14, 126, 187
Orchard, 14, 187
Scott's, 14, 187
Streak-backed, 14, 51
Osprey, 5, 184
Otus flammeolus, 8, 21-31, 184
kennicottii, 8, 22
Ovenbird, 12, 181, 186
Owl, Barred, 2, 8, 50
Boreal, 2
Burrowing, 8, 22, 185
Elf, 8
Flammulated, 8, 21-31, 184
Great Gray, 8
Great Horned, 8, 88, 107, 114, 121, 134, 184
Long-eared, 8, 185
Northern Saw-whet, 8, 185

Short-eared, 8, 185
Snowy, 8, 50, 52, 62
Spotted, 8, 185
Oxyura jamiacensis, 5, 184
Oystercatcher, American, 6, 50, 60, 73
Black, 6

Page, Gary W., Frances C. Bidstrup, Robert J. Ramer, and Lynn E. Stenzel, Distribution of wintering Snowy Plovers in California and adjacent states, 145-170
Pandion haliaetus, 5, 184
Parabuteo unicinctus, 5, 50, 52, 59
Parula, Northern, 12, 180, 186
Parula americana, 12, 180, 186
Parus atricapillus, 10, 178, 185
gambeli, 10, 185
inornatus, 10, 185
rufescens, 10, 98
wollweberi, 123
Passer domesticus, 14, 187
Passerculus sandwichensis, 13, 186
Passerella iliaca, 13, 186
Passerina amoena, 13, 125, 186
ciris, 13, 51, 70, 75, 181, 186
cyanea, 13, 186
versicolor, 13, 51
Paulson, Dennis R., Identification of juvenile tattlers and a Gray-tailed Tattler record from Washington, 33-36
Pelican, American White, 3, 136-138, 183
Brown, 4
Pelecanus erythrorhynchos, 3, 136-138, 183
occidentalis, 4
Perisoreus canadensis, 10, 174, 185
Petrel, Cape, 2
Cook's, 2, 3, 50, 51, 54, 55, 79-84
Mottled, 3, 50
Solander's, 2
Stejneger's, 4, 50
Peucedramus taeniatus, 175
Pewee, Greater, 9, 50, 62, 175, 185
Phaethon aethereus, 3
lepturus, 3, 50, 56
rubricauda, 3, 50
Phainopepla, 11, 48, 175, 186
Phainopepla nitens, 11, 48, 175, 186
Phalacrocorax auritus, 4, 136, 183
olivaceus, 4, 50, 56
pelagicus, 4
penicillatus, 4
Phalaenoptilus nuttallii, 9, 185
Phalarope, Red, 7, 184
Red-necked, 7, 177, 184
Wilson's 7, 173, 174, 177, 184
Phalaropus fulicaria, 7, 184
lobatus, 7, 177, 184
tricolor, 7, 184
Phasianus colchicus, 6, 120
Pheasant, Ring-necked, 6, 120
Pheucticus ludovicianus, 13, 186
melanocephalus, 13, 125, 186
Philomachus pugnax, 7
Phoebe, Black, 10, 122, 185
Eastern, 10, 122, 178, 185
Say's, 10, 118, 122, 185
Phylloscopus fuscatus, 11, 50, 63, 65
Pica nuttalli, 10
pica, 10, 174, 178, 185
Picoides albolarvatus, 9
arcticus, 9
nuttallii, 9, 43-44
pubescens, 9, 43-44, 175, 185
scalaris, 9, 118, 121
tridactylus, 2, 15, 174, 185
villosus, 9, 98, 121, 185
Pigeon, Band-tailed, 8, 177, 184
Pinicola enucleator, 14, 175, 187
Pintail, Northern, 4, 117, 119, 184
Pipilo aberti, 13, 125
chlorurus, 13, 118, 125, 175, 186
erythrophthalmus 13, 117, 125, 186
fuscus, 13, 118, 125, 186
Pipit, Red-throated, 11, 51, 66
Sprague's, 11, 51, 66, 179, 186
Water, 11, 123, 175, 179, 186
Piranga flava, 13, 186
ludoviciana, 118, 125, 186
olivacea, 13, 51, 70, 74, 181, 186
rubra, 13, 125, 186
Plectrophenax nivalis, 14, 51, 71
Plegadis chihi, 4, 50, 183
Plover, Black-bellied, 6, 184
Common Ringed, 2
Mongolian, 6, 50, 60
Mountain, 6, 174, 176, 184
Piping, 6, 50
Semipalmated, 6, 184
Snowy, 6, 145-170, 184
Wilson's, 6, 50
Pluvialis dominica, 6, 176
squatarola, 6, 184
Podiceps auritus, 3, 175, 183
grisegena, 3
nigricollis, 3, 183
Podilymbus podiceps, 3
Polioptila caerulea, 11, 185
melanura, 11

Polysticta stelleri, 2, 5, 50
Pooecetes gramineus, 13, 175, 186
Poorwill, Common, 9, 185
Porphyrula martinica, 6, 50
Porzana carolina, 6, 184
Progne subis, 10, 185
Protonotaria citrea, 12, 51, 68, 181, 186
Psaltriparus minimus, 10, 117, 123, 185
Ptarmigan, White-tailed, 2
Pterodroma cookii, 2, 3, 50, 51, 54, 55, 79-84
  inexpectata, 3, 50
  longirostris, 3, 50
  solandri, 2
Ptychoramphus aleuticus, 8
Puffin, Horned, 8
  Tufted, 8
Puffinus auricularis, 2
  bulleri, 3, 45-47
  carneipes, 3, 45
  creatopus, 3, 45
  gravis, 3, 50
  griseus, 3, 45, 46, 83
  leucomelas, 3, 46, 50
  opisthomelas, 3
  pacificus, 45
  puffinus, 72
  tenuirostris, 3
Pygmy-Owl, Northern, 8, 98, 185
Pyrocephalus, rubinus, 10, 122, 178, 185
Pyrrhuloxia, 13, 51

Quail, California, 6, 184
  Gambel's, 6, 120
  Montezuma, 175, 184
  Mountain, 6
  Scaled, 184
Quiscalus mexicanus, 14, 126, 187
  quiscula, 14, 51, 71

Radke, Marcia F. and William R. Radke, Breeding by a two-year old Sandhill Crane, 192-193
Radke, William R., see Radke, M.
Rail, Black, 6
  Clapper, 6
  Virginia, 6, 184
  Yellow, 6, 50, 60, 72
Rallus limicola, 6, 184
  longirostris, 6
Ramer, Robert J., see Page, G.
Raven, Chihuahuan, 118, 122
  Common, 10, 88, 118, 123, 185
Recurvirostra americana, 6, 173, 176, 184
Redhead, 5, 184
Redpoll, Common, 14, 51, 71
Redshank, Spotted, 2, 6, 50
Redstart, American, 12, 124, 172, 180, 186
  Painted, 13, 118, 125, 175, 186
Regulus calendula, 11, 117, 123, 185
  satrapa, 11, 185
Riparia riparia, 10, 185
Rissa tridactyla, 7
Roadrunner, Greater, 8, 184
Roberson, Don, Ninth report of the California Bird Records Committee, 49-77
Robin, American, 11, 123, 185
  Rufous-backed, 11, 50, 64
Rosenberg, Gary H. and Scott B. Terrill, Avifauna of Apache County, Arizona, 171-187
Ruff, 7
Rynchops niger, 8

Salpinctes obsoletus, 11, 185
Sanderling, 7, 176, 184
Sandpiper, Baird's, 7, 184
  Buff-breasted, 7, 50, 61
  Curlew, 7, 50
  Least, 7, 120, 184
  Pectoral, 7, 184
  Rock, 7
  Semipalmated, 7, 176, 184
  Sharp-tailed, 7
  Solitary, 6, 120
  Spotted, 6, 118, 120, 184
  Stilt, 7, 184
  Upland, 6, 50
  Western, 7, 184
  White-rumped, 7, 50
Sapsucker, Red-breasted, 9, 97-105
  Red-naped, 2, 9, 121, 174, 185
  Williamson's, 9, 174, 185
  Yellow-bellied, 9, 185
Sayornis nigricans, 10, 122, 185
  phoebe, 10, 122, 178, 185
  saya, 10, 118, 122, 185
Scaup, Greater, 5
  Lesser, 5, 184
Scoter, Black, 5
  Surf, 5, 176, 184
  White-winged, 5, 176, 184
Screech-Owl, Western, 8, 22
Seiurus aurocapillus, 12, 181, 186
  motacilla, 12, 51, 68
  noveboracenis, 12, 124, 186

Selasphorus platycercus, 9, 41, 118, 121, 185
rufus, 9, 185
sasin, 9
Setophaga ruticilla, 12, 124, 172, 180, 186
Shearwater, Black-vented, 3
Buller's, 3, 45-47
Flesh-footed, 3, 45
Greater, 3, 50
Manx, 72
Pink-footed, 3, 45
Short-tailed, 3
Sooty, 3, 45, 46, 83
Streaked, 3, 46, 50
Townsend's, 2
Wedge-tailed, 45
Shoveler, Northern, 4, 184
Shrike, Brown, 2, 12
Loggerhead, 12, 188, 123, 186
Northern, 12, 186
Shuford, W. David, Have ornithologists or breeding Red-breasted Sapsuckers extended their range in coastal California?, 97-105
Sialia currucoides, 11, 174, 185
mexicana, 11, 118, 123, 185
Siskin, Pine, 14, 126, 187
Sitta canadensis, 10, 185
carolinensis, 10, 123, 185
pygmaea, 10, 185
Skimmer, Black, 8
Skua, South Polar, 7
Skylark, Eurasian, 10, 50
Smew, 2, 5, 50, 58
Snipe, Common, 7, 120, 173, 174, 177, 184
Jack, 7, 50, 61
Solitaire, Townsend's, 11, 175, 185
Somateria spectabilis, 5, 50
Sora, 6, 184
Sparrow, American Tree, 13, 186
Baird's, 13, 70, 181, 186
Black-chinned, 13
Black-throated, 13, 186
Brewer's, 13, 186
Cassin's, 13, 51, 70, 181, 186
Chipping, 13, 118, 125, 186
Clay-colored, 13, 181, 186
Field, 13, 51, 70, 181, 186
Fox, 13, 186
Golden-crowned, 13, 182, 186
Grasshopper, 13, 182, 186
Harris', 13, 186
House, 14, 187
Lark, 13, 186
Le Conte's, 13, 51, 69, 71
Lincoln's, 13, 117, 125, 186
Rufous-crowned, 13, 186
Sage, 13, 186
Savannah, 13, 186
Sharp-tailed, 13, 51, 71
Song, 13, 117, 125, 186
Swamp, 13, 125, 186
Vesper, 13, 175, 186
White-crowned, 13, 117, 126, 175, 186
White-throated, 13, 126, 186
Sphyrapicus nuchalis, 2, 9, 121, 174, 185
ruber, 9, 97-105
thyroideus, 9, 174, 185
varius, 9, 185
Spiza americana, 13, 181, 186
Spizella arborea, 13, 186
atrogularis, 13
breweri, 13, 186
pallida, 13, 118, 125, 186
passerina, 13, 118, 125, 186
pusilla, 13, 51, 70, 181, 186
Spoonbill, Roseate, 4
Starling, European, 12, 124, 129, 139, 186
Stelgidopteryx serripennis, 10, 122, 185
Stellula calliope, 9, 41, 185
Stenzel, Lynne E., see Page, G.
Stercorarius longicaudus, 7
parasiticus, 7
pomarinus, 7, 177, 184
Sterna antillarum, 8
caspia, 8, 133-135, 136, 177, 184, 189
elegans, 8
forsteri, 8, 184
fuscata, 2, 8, 50
hirundo, 8, 177, 184
maxima, 7
nilotica, 7
paradisaea, 8
sandvicensis, 8, 50
Stilt, Black-necked, 6, 176, 184
Stint, Little, 2, 7, 50, 61
Rufous-necked, 7, 50, 73
Temminck's, 73
Stork, Wood, 4, 175, 183
Storm-Petrel, Ashy, 3
Band-rumped, 3, 50
Black, 3
Fork-tailed, 3
Leach's, 3

Least, 3
Wedge-rumped, 3, 50, 56, 72
Wilson's, 3, 50, 56
Streptopelia chinensis, 8
risoria, 2
Streptoprocne zonaris, 2, 9, 50
Strix nebulosa, 8
occidentalis, 8, 185
varia, 2, 8, 50
Sturnella magna, 187
neglecta, 14, 118, 126, 187
Sturnus vulgaris, 12, 124, 129, 139, 186
Sula dactylatra, 3, 50
leucogaster, 3, 50, 56
nebouxii, 3
sula, 3, 50
Surfbird, 7
Swallow, Bank, 10, 185
Barn, 10, 185
Cliff, 10, 118, 122, 129, 185
Northern Rough-winged, 10, 122, 185
Tree, 10, 40, 174, 178, 185
Violet-green, 10, 122, 185
Swan, Trumpeter, 4, 50, 72
Tundra, 4, 184
Whooper, 2, 4, 50, 57
Swift, Black, 9
Chimney, 9
Vaux's, 9, 177, 185
White-collared, 2, 9, 50
White-throated, 9, 121, 185
Synthliboramphus antiquus, 8
craveri, 8
hypoleucus, 8

Tachybaptus dominicus, 3, 50
Tachycineta bicolor, 10, 40, 174, 178, 185
thalassina, 10, 122, 185
Tanager, Hepatic, 13, 186
Scarlet, 13, 51, 70, 74, 181, 186
Summer, 13, 125, 186
Western, 13, 118, 125, 186
Tattler, Gray-tailed, 2, 6, 33-36, 50
Wandering, 6, 33-36
Teal, Baikal, 4, 50
Blue-winged, 4, 184
Cinnamon, 4, 119, 184
Green-winged, 4, 117, 119, 184
Tern, Arctic, 8
Black, 8
Caspian, 7, 133-135, 136, 177, 184, 189
Common, 7, 177, 184
Elegant, 7
Forster's, 7, 184
Gull-billed, 7
Least, 8
Royal, 7
Sandwich, 8, 50
Sooty, 2, 8, 50
Terrill, Scott B., see Rosenberg, G.
Thrasher, Bendire's, 11, 186
Brown, 11, 179
California, 11
Crissal, 11
Curve-billed, 11, 50
Le Conte's, 11
Sage, 11, 175, 185
Thrush, Gray-cheeked, 11, 50
Hermit, 11, 188, 123, 185
Swainson's, 11, 123, 175, 179, 185
Varied, 11
Wood, 11, 50, 64, 179, 185
Thryomanes bewickii, 11, 123, 129, 185
Titmouse, Bridled, 123
Plain, 10, 185
Towhee, Abert's, 13, 125
Brown, 13, 118, 125, 186
Green-tailed, 13, 118, 125, 175, 186
Rufous-sided, 13, 117, 125, 186
Toxostoma bendirei, 11, 186
crissale, 11
curvirostre, 11, 50
lecontei, 11
redivivum, 11
rufum, 11, 179
Tringa erythropus, 2, 6, 50
flavipes, 6, 184
melanoleuca, 6, 184
solitaria, 6, 120
Troglodytes aedon, 11, 118, 123, 185
troglodytes, 11, 17-20, 118, 123, 185
Tropicbird, Red-billed, 3
Red-tailed, 3, 50
White-tailed, 3, 50, 56
Tryngites subruficollis, 7, 50, 61
Turdus migratorius, 11, 123, 185
rufopalliatus, 11, 50, 64
Turkey, Wild, 6, 184
Turnstone, Black, 7
Ruddy, 7, 176, 184
Turtle-Dove, Ringed, 2
Tyler, Wm. Breck and Kenneth Burton, Cook's Petrel specimen from California, A, 79-84
Tympanuchus phasianellus, 6, 50
Tyrannus crassirostris, 10, 50
forficatus, 10, 50, 63, 74, 178, 185
melancholicus, 10

tyrannus, 10, 178, 185
verticalis, 10, 122, 185
vociferans, 10, 122, 185
Tyto alba, 8, 184

Unitt, Philip, Another hybrid Downy × Nuttall's Woodpecker from San Diego County, 43-44
Uria aalge, 8
lomvia, 8, 50, 73

Veery, 11, 50, 172, 175, 178, 185
Verdin, 10
Vermivora celata, 12, 186
chrysoptera, 1, 12, 51, 66, 179, 186
luciae, 12, 124, 186
peregrina, 12, 179, 186
pinus, 12, 51, 66, 179, 186
ruficapilla, 12, 186
virginiae, 12, 124, 186
Violet-ear, Green, 73
Vireo, Bell's, 12
Gray, 12, 39
Hutton's, 12
Philadelphia, 12, 51, 66, 69, 179, 186
Red-eyed, 1, 12, 51, 186
Solitary, 12, 37-39, 124, 186
Warbling, 12, 124, 186
White-eyed, 12, 51, 179, 186
Yellow-throated, 12, 51, 124
Vireo bellii, 12
flavifrons, 12, 51, 124
gilvus, 12, 124, 186
griseus, 12, 51, 179, 186
huttoni, 12
olivaceus, 1, 12, 51, 186
philadelphicus, 12, 51, 66, 69, 179, 186
solitarius, 12, 37-39, 124, 186
vicinior, 12, 39
Vulture, Black, 2, 74
Turkey, 5, 88, 118, 119, 184

Wagtail, Black-backed, 1, 2, 11, 51, 52, 64
White, 1, 2, 11, 50, 51, 52, 64, 67
Yellow, 2, 11, 51
Wahl, Terence R., Notes on the feeding behaivor of Buller's Shearwater, 45-47
Warbler, Bay-breasted, 12, 180, 186
Black-and-white, 12, 186
Black-throated Blue, 12, 180, 186
Black-throated Gray, 12, 124, 186
Black-throated Green, 12, 180, 186
Blackburnian, 12, 180, 186
Blackpoll, 12, 180, 186
Blue-winged, 1, 12, 51, 66, 179, 186
Canada, 13
Cape May, 12
Cerulean, 12, 51
Chestnut-sided, 12, 180, 186
Connecticut, 12, 51, 68
Dusky, 11, 50, 63, 65
Golden-cheeked, 12, 51, 66
Golden-winged, 1, 12, 51, 66, 179, 186
Grace's, 12, 51, 67, 186
Hermit, 12, 186
Hooded, 13
Kentucky, 12, 51, 68, 172, 181, 186
Lucy's, 12, 124, 186
MacGillivray's, 13, 175, 186
Magnolia, 12, 180, 186
Mourning, 13, 51, 70, 181, 186
Nashville, 12, 186
Olive, 175
Orange-crowned, 12, 186
Palm, 12, 180, 186
Pine, 12, 51, 67
Prairie, 12
Prothonotary, 12, 51, 68, 181, 186
Red-faced, 13, 51, 70, 175, 186
Swainson's, 172, 181, 186
Tennessee, 12, 179, 186
Townsend's, 12, 124, 186
Virginia's, 12, 124, 186
Wilson's, 12, 118, 124, 175, 186
Worm-eating, 12, 51, 68, 172, 181, 186
Yellow, 12, 124, 129, 186
Yellow-rumped, 12, 117, 124, 186
Yellow-throated, 12, 51, 66, 172, 180, 186
Waterthrush, Louisiana, 12, 51, 68
Northern, 12, 124, 186
Waxwing, Bohemian, 11, 179, 186
Cedar, 11, 186
Weber, John W., First verified record of the Mew Gull for Idaho, 141-142
Wheatear, Northern, 11, 50
Whimbrel, 6
Whip-poor-will, 9, 175, 185
Whistling-Duck, Black-bellied, 4, 50
Fulvous, 4
Wigeon, American, 5, 184
Eurasian, 4, 176, 184
Willet, 6
Wilsonia canadensis, 13
citrina, 13
pusilla, 13, 118, 124, 175, 186

Wood-Pewee, Eastern, 9, 50, 74, 185
Western, 9, 121, 185
Woodpecker, Acorn, 9, 121, 185
Black-backed, 9
Downy, 9, 43-44, 175, 185
Gila, 9, 121, 139-140, 178, 185
Hairy, 9, 98, 121, 185
Ladder-backed, 9, 118, 121
Lewis', 9, 174, 185
Nuttall's, 9, 43-44
Pileated, 9
Red-headed, 9, 50
Three-toed, 2, 15, 174, 185
White-headed, 9
Wren, Bewick's, 11, 123, 129, 185
Cactus, 11
Canyon, 11, 185
House, 11, 123, 185
Marsh, 11, 123, 185
Rock, 11, 185
Sedge, 11, 50
Winter, 11, 17-20, 118, 123, 185
Wrentit, 11

Xema sabini, 7, 177, 184
Xanthocephalus xanthocephalus, 14, 187

Yellowlegs, Greater, 6, 184
Lesser, 6, 184
Yellowthroat, Common, 13, 124, 186

Zenaida asiatica, 8, 121
macroura, 8, 88, 121, 129, 184
Zonotrichia albicollis, 13, 126, 186
atricapilla, 13, 182, 186
leucophrys, 13, 117, 126, 175, 186
querula, 13, 186